

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1183	370/516-517.ccls. and (@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105")	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:09
L2	195	370/519.ccls. and (@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105")	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:09
L3	481	370/238.ccls. and (@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105")	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:09
L4	302	370/253.ccls. and (@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105")	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:09
L5	372	370/395.21.ccls. and (@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105")	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:33
L6	192	370/508.ccls. and (@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105")	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:10
L7	1347	370/235.ccls. and (@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105")	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:10
L8	1216	370/230.ccls. and (@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105")	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:10

EAST Search History

L9	203	370/230.1.ccls. and (@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105")	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:10
L10	785	370/516.ccls. and (@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105")	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:10
L11	2569	370/389.ccls. and (@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105")	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:11
L12	1	("5,381,404").PN.	USPAT; USOCR	OR	OFF	2007/11/08 11:38
L13	27988	(@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105") and (max\$5 with (latency or delay))	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:13
L14	14856	(@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105") and (max\$5 near3 (latency or delay))	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:15
L15	330	(@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105") and (max\$5 near3 (latency or delay)) same (jitter)	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:15
L16	8	(@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105") and (max\$5 near3 (latency or delay)) same (jitter) same (number near4 (link\$2 or channel\$2 or connection\$2))	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:16

EAST Search History

L17	8	(@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105") and ((max\$5 or great\$3) near3 (latency or delay)) same (jitter) same (number near4 (link\$2 or channel\$2 or connection\$2))	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:17
L18	12	(@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105") and ((max\$5 or great\$3) with (latency or delay)) same (jitter) same (number near4 (link\$2 or channel\$2 or connection\$2))	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:18
L19	504	(@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105") and determinis\$5 and latency and jitter	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:18
L20	118	(@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105") and determinis\$5 and (max\$5 with latency) and jitter	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:18
L21	114	(@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105") and determinis\$5 and (max\$5 with latency) and jitter and (link\$2 or channel\$2 or connection\$2)	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:19
L22	320	(@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105") and (max\$5 with latency) and jitter and (link\$2 or channel\$2 or connection\$2) and (between with (cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2))	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:21

EAST Search History

L23	216	(@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105") and (max\$5 with latency) and jitter and (link\$2 or channel\$2 or connection\$2) and ((time or interval or period or gap or inter\$5) with between with (cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2))	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:22
L24	15	(@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105") and (max\$5 with latency) same jitter same (link\$2 or channel\$2 or connection\$2) and ((time or interval or period or gap or inter\$5) with between with (cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2))	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:24
L25	67	(@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105") and (deterministic with network) and (jitter) and (maximum with (delay or latency))	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:25
L26	1	(@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105") and (deterministic with network) and (jitter) and (maximum with (delay or latency)) and (virtual near3 link\$2)	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:26
L27	13	(@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105") and (determinis\$3) and (jitter) and (maximum with (delay or latency)) and (virtual near3 link\$2)	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:40



Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Thu, 8 Nov 2007, 10:44:42 AM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display



Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 (((latency <or> delay) <sentence> jitter))<in>metadata)
- #2 (((deterministic) and (jitter <sentence> (delay <or> latency)))<in>metadata)
- #3 (((deterministic) and (jitter <sentence> (delay <or> latency)))<in>metadata)
- #4 (((deterministic) and (jitter <sentence> (delay <or> latency)))<in>metadata)
- #5 (((deterministic) and (jitter <sentence> (delay <or> latency)))<in>metadata)
- #6 (((deterministic) and (jitter <sentence> (delay <or> latency)))<in>metadata)
- #7 (((deterministic) and (jitter <sentence> (delay <or> latency)))<in>metadata)
- #8 (((deterministic) and (jitter <sentence> (delay <or> latency)))<in>metadata)
- #9 (((maximum <sentence> (latency or delay)) <paragraph> jitter <paragraph> (length or size or duration or interval) <paragraph> (number <sentence> links))<in>metadata)
- #10 (((maximum <sentence> (latency or delay)) <paragraph> jitter <paragraph> (length or size or duration or interval) <paragraph> (number <sentence> links))<in>metadata)
- #11 (((maximum <paragraph> (latency or delay)) <paragraph> jitter <paragraph> (length or size or duration or interval) <paragraph> (links))<in>metadata)
- #12 (((maximum <paragraph> (latency or delay)) <paragraph> jitter <paragraph> (length or size or duration or interval) <paragraph> (links))<in>metadata)
- #13 (((maximum <sentence> latency))<in>metadata)
- #14 (((maximum <sentence> latency)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)

EAST Search History

L28	1	2003-383991.NRAN.	DERWENT	OR	OFF	2007/11/08 11:33
L29	23	(@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105") and (frame\$2 with (length or duration or size)) and (jitter) and (maximum with (delay or latency)) and (virtual near3 link\$2)	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:36
L30	38	("4979118" "5038340" "5163042" "5267232").PN. OR ("5381404").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/08 11:38
L31	11861	(@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105") and ((formula or equation\$2 or inequalit\$5 or expression) with (latency or delay))	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:41
L32	614	(@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105") and ((formula or equation\$2 or inequalit\$5 or expression) with (latency or delay) with max\$5)	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:42
L33	19	(@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105") and ((formula or equation\$2 or inequalit\$5 or expression) with (latency or delay) with max\$5) and jitter and (cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near3 (length or size or duration)	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:48
L34	1253	(@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105") and ((latency or delay) with max\$5) and jitter and (cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near3 (length or size or duration)	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:49

- #15 (((maximum <sentence> latency)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)
- #16 (((maximum <near/3> latency)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)



Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2006 IEEE –

EAST Search History

L35	950	(@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105") and ((latency or delay) with max\$5) and jitter and (cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near3 (length or size or duration) and (number\$2 with (link\$2 or channel\$2 or connection\$2))	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:49
L36	52	(@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105") and ((latency or delay) with max\$5) same jitter and (cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near3 (length or size or duration) same (number\$2 with (link\$2 or channel\$2 or connection\$2))	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:52
L37	2	(@ad<="20011105" or @pd<="20011105" or @rlan<="20011105" or @rlad<="20011105" or @rlpn<="20011105") and ((latency or delay) with max\$5) same jitter and (cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near3 (length or size or duration) same (number\$2 with virtual with (link\$2 or channel\$2 or connection\$2))	US-PGPUB; USPAT; FPRS; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 11:54